DEPARTMENT OF HEALTH AND HUMAN SERVICES

FOOD AND DRUG ADMINISTRATION

CENTER FOR DRUG EVALUATION AND RESEARCH

PSYCHOPHARMACOLOGIC DRUGS ADVISORY COMMITTEE

WITH THE PEDIATRIC SUBCOMMITTEE

OF THE ANTI-INFECTIVE DRUGS ADVISORY COMMITTEE

Monday, February 2, 2004

8:00 a.m.

Holiday Inn Bethesda Versailles I and II 8120 Wisconsin Avenue Bethesda, Maryland 342

- 1 looking at changed scores on a handful of a
- 2 priori-defined symptoms from the rating scales
- 3 would be very helpful.
- 4 DR. GOODMAN: Along those lines, as I
- 5 mentioned earlier, the Hamilton has an item on
- 6 agitation, the CDRS has an item on irritability, so
- 7 that could be a first quick look, and you wouldn't
- have to look at treatment emergent, you can look at
- 9 rating scale items.
- 10 I agree that one needs to give careful
- 11 thought into what symptoms or how we are describing
- 12 this constellation of symptoms, because it could be
- 13 very problematic..
- 14 For one reason, a number of symptoms you
- would expect to get better with the SSRIs, and what
- 16 we are really looking for is a minority of patients
- in whom you see a paradoxical increase in those
- 18 symptoms.
- 19 So, I think we need to take a very careful
- 20 approach to this analysis.
- DR. RUDORFER: We have four more questions
- 22 on this topic.
- 23 I am sorry. Dr. Laughren.
- DR. LAUGHREN: Just one follow up on a
- 25 suggestion that has come up from several committee

343

- 1 members now about looking at items from the rating
- 2 scales. That was actually done here, and it turned
- 3 out not to be very helpful.
- 4 Now, this was a similar analysis that had
- 5 been done with the adult data years ago, for
- 6 example, looking at patients who move from looking
- 7 at the suicide item on the HAM-D and looking at
- 8 patients who move from zero to 1 to a 3 or 4.
- 9 That did not detect a signal in these
- 10 trials, and part of the problem may have been that
- 11 these events often did not occur at a time when the
- 12 HAM-D would be done, because the HAM-D is done at
- 13 regular intervals.
- 14 If the event occurs between visits, which
- 15 it almost always does, and then the patient is
- 16 discontinued at that point, you never get a HAM-D
- 17 or whatever other instrument is being used.
- 18 So, companies did try that approach, and
- 19 it was not particularly productive.
- DR. RUDORFER: We are now going to turn to
- 21 Drs. Malone, McGough, Pfeffer, and Ortiz, and then
- 22 move on to Question 2 more specifically.
- DR. MALONE: I am sorry, I just stepped
- 24 out, so I may have missed things that were just
- 25 discussed, but I was thinking that looking at